Contents

Aber JD, Federer CA: A generalized, lumped-parameter model of photosynthesis, evapotranspiration and net primary production in temperate and boreal forest ecosystems 463
Ågren J, Willson MF: Determinants of seed production in *Geranium maculatum* 177
Andrews RM → Stamps JA
Arizaga S → Ezcurra E
Armstrong TP → Krebs RA
Ashman T-L: Indirect costs of seed production within and between seasons in a gynodioecious species 266
Assmann SM: Effects of light quantity and quality during development on the morphology and stomatal physiology of *Commelina cummunis* 188
Ataroff M, Schwarzkopf T: Leaf production, reproductive patterns, field germination and seedling survival in *Chamaedorea bartlingiana*, a dioecious understory palm 250

Balment RJ → Shore RF
Barbehenn RV, Bernays EA: Relative nutritional quality of C_3 and C_4 grasses for a graminivorous lepidopteran, *Paratrytone melane* (Hesperiidae) 97
Barker JSF → Krebs RA
Baus Picard J → Wacquant JP
Beck MW, Connor EF: Factors affecting the reproductive success of the crab spider. *Misumenoides formosipes:* the covariance between juvenile and adult traits 287
Benech Arnold RL, Fenner M, Edwards PJ: Mineral allocation to reproduction in *Sorghum bicolor* and *Sorghum halepense* in relation to parental nutrient supply 138
Bernays EA → Barbehenn RV
Bertness MD → Shumway SW
Blua MJ, Perring TM: Alatae production and population increase of aphid vectors on virus-infected host plants 65
Bowers MA, Brown JH: Structure in a desert rodent community: use of space around *Dipodomys spectabilis* mounds 242
Bowers MD → Stamp NE
Breed MD → Fewell JH
Brown JH → Bowers MA

Campbell DJ: Nearest-neighbour graphical analysis of spatial pattern and a test for competition in populations of singing crickets (*Teleogryllus commodus*) 548
Camus PA: Size-specific reproductive parameters in red algae: a comparaitive analysis for two sympatric species from Central Chile 450
Cano-Santana Z, Oyama K: Variation in leaf trichomes and nutrients of *Wigandia urens* (Hydrophyllaceae) and its implications of herbivory 405
Chapman PL → Milchunas DG
Chazdon RL: Photosynthetic plasticity of two rain forest shrubs across natural gap transects 586
Cheng W → Oberbauer SF
Colombo SJ, Teng Y: Seasonal variation in the tissue water relations of *Picea glauca* 410
Connor EF → Beck MW
Cornell HV → Marino PC
Craig TP, Price PW, Itami JK: Facultative sex ratio shifts by a herbivorous insect in response to variation in host plant quality 153

Day TA, Vogelmann TC, DeLucia EH: Are some plant life forms more effective than others in screening out ultraviolet-B radiation? 513
DeLucia EH → Day TA
Drost CA, McCluskey RC: Extirpation of alternative prey during a small rodent crash 301

Edwards PJ → Benech Arnold RL
Englund G, Johansson F, Olsson TI: Asymmetric competition between distant taxa: poecilid fishes and water striders 498
Ezcurra E, Arizaga S, Valverde PL, Mourelle C, Flores-Martínez A: Foliole movement and canopy architecture of *Larrea tridentate* (D.C.) Cov. in Mexican deserts 83

Fagan WF → Hurd LE
Federer CA → Aber JD
Fenner M → Benech Arnold RL
Ferreira MI, Katerji N: Is stomatal conductance in a tomato crop controlled by soil or atmosphere? 104
Fewell JH, Harrison JF, Stiller TM, Breed MD: Distance effects on resource profitability and recruitment in the giant tropical ant, *Paraponera clavata* 542
Fichtner K, Schulze E-D: The effect of nitrogen nutrition on growth and biomass partitioning of annual plants originating from habitats of different nitrogen availability 236
Field CB → Fredeen AL
Flores-Martínez A → Ezcurra E
Flynn L → Ish-Shalom N
Fredeen AL, Field CB: Ammonium and nitrate uptake in gap, generalist and understory species of the genus *Piper* 207

Gebauer R → Oberbauer SF
Gehrke C → Sonesson M
Gillespie CT → Oberbauer SF
Graham EA → Nobel PS
Gravatt DA, Martin CE: Comparative ecophysiology of five species of *Sedum* (Crassulaceae) under well-watered and drought-stressed conditions 532
Green TGA → Schroeter B
Greenberg R: Responses to a simple habitat cue in naive swamp and song sparrows 299
Grevstad FS, Klepetka BW: The influence of plant architecture on the foraging efficiencies of a suite of ladybird beetles feeding on aphids 399

Hanscom Z → Newman RM
Harmatha J → Speiser B
Harrison JF → Fewell JH
Hestmark G: Sex, size, competition and escape – strategies of reproduction and dispersal in *Lasallia pustulata* (Umbilicariaceae, Ascomycetes) 305
Hilker M: Protective devices of early developmental stages in *Pyrrhalta viburni* (Coleoptera, Chrysomelidae) 71
Holbrook NM → Lerdau MT
Hurd LE, Fagan WF: Cursorial spiders and succession: age or habitat structure? 215

Ish-Shalom N, Silveira Lobo Sternberg L da, Ross M, O'Brien J, Flynn L: Water utilization of tropical hardwood hammocks of the Lower Florida Keys 108
Itami JK → Craig TP

Jaeger CH, Monson RK: Adaptive significance of nitrogen storage in *Bistorta bistortoides*, an alpine herb 578
Jain SK → Molina-Freaner F
Johannsson OE → MacIsaac HJ
Johansson F → Englund G
Johnston AM, Maberly SC, Raven JA: The acquisition of inorganic carbon by four red macroalgae 317

Kadmon R: Dynamics of forager arrivals and nectar renewal in flowers of *Anchusa strigosa* 552
Kappen L → Schroeter B
Karban R, Lowenberg G: Feeding by seed bugs and weevils enhances germination of wild *Gossypium* species 196
Karlsson PS, Pate JS: Contrasting effects of supplementary feeding of insects or mineral nutrients on the growth and nitrogen and phosphorous economy of pygmy species of *Drosera* 8
Katerji N → Ferreira MI
Kearsley MJC, Whitham TG: Guns and butter: a no cost defense against predation for *Chrysomela confluens* 556
Keller L → Sartori M
Kent M → Warr SJ
Kerfoot WC → Newman RM
Klarenberg AJ → Offenberger M
Klepetka BW → Grevstad FS
Krebs RA, Barker JSF, Armstrong TP: Coexistence of ecologically similar colonising species. III. *Drosophila aldrichi* and *D. buzzatii*: larval performance on, and

adult preference for, three *Opuntia* cactus species 362

Lampert W → Vanni MJ
Lauenroth WK → Milchunas DG
Leach JH → MacIsaac HJ
Lerdau MT, Holbrook NM, Mooney HA, Rich PM, Whitbeck JL: Seasonal patterns of acid fluctuations and resource storage in the arborescent cactus *Opuntia excelsa* in relation to light availability and size 166
Lowenberg G → Karban R
Lüning J: Phenotypic plasticity of *Daphnia pulex* in the presence of invertebrate predators: morphological and life history responses 383
Lys J-A, Nentwig W: Augmentation of beneficial arthropods by strip-management. 4. Surface activity, movements and activity density of abundant carabid beetles in a cereal field 373

Maberly SC → Johnston AM
MacIsaac HJ, Sprules WG, Johannsson OE, Leach JH: Filtering impacts of larval and sessile zebra mussels (*Dreissena polymorphia*) in western Lake Erie 30
Madsen T, Shine R: Determinants of reproductive success in female adders, *Vipera berus* 40
Malmquist HJ: Phenotype-specific feeding behaviour of two arctic charr *Salvelinus alpinus* morphs 354
Marino PC, Cornell HV: Adult movement of the native holly leafminer, *Phytomyza ilicicola* Loew (Diptera: Agromyzidae): consequences for host choice within and between habitats 76
Martin CE → Gravatt DA
Martínez ML, Valverde T, Moreno-Casasola P: Germination response to temperature, salinity, light and depth of sowing of ten tropical dune species 343
McCluskey RC → Drost CA
McLetchie DN: Sex ratio from germination through maturity and its reproductive consequences in the liverwort *Sphaerocarpus texanus* 273
Meerts P: An experimental investigation of life history and plasticity in two cytotypes of *Polygonum aviculare* L. subsp. *aviculare* that coexist in an abandoned arable field 442
Meyer GA, Whitlow TH: Effects of leaf and sap feeding insects on photosynthetic rates of goldenrod 480
Milchunas DG, Lauenroth WK, Chapman PL: Plant competition, abiotic, and long- and short-term effects of large herbivores on demography of opportunistic species in a semiarid grassland 520
Miller PM → Nobel PS
Miyashita T: Feeding rate may affect dispersal in the orb-web spider *Nephila clavata* 339
Molina-Freaner F, Jain SK: Female frequencies and fitness components between sex phenotypes among gynodioecious populations of the colonizing species *Trifolium hirtum* All. in California 279
Monson RK → Jaeger CH
Mooney HA → Lerdau MT
Moreno-Casasola P → Martínez ML
Mourelle C → Ezcurra E
Nentwig W → Lys J-A

Newman RM, Hanscom Z, Kerfoot WC: The watercress glucosinolate-myrosinase system: a feeding deterrent to caddisflies, snails and amphipods 1
Nobel PS, Miller PM, Graham EA: Influence of rocks on soil temperature, soil water potential, and rooting patterns for desert succulents 90

Oberbauer SF, Gillespie CT, Cheng W, Gebauer R, Sala Serra A, Tenhunen JD: Environmental effects on CO_2 efflux from riparian tundra in the northern foothills of the Brooks Range, Alaska, USA 568
O'Brien J → Ish-Shalom N
Oesterheld M: Effect of defoliation intensity on aboveground and belowground relative growth rates 313
Offenberger M, Klarenberg AJ: Attractiveness and exploitation of decaying herbage by *Drosophila* in temperate woodland 183
Olsson TI → Englund G
Oyama K → Cano-Santana Z

Paige KN: The effects of fire on scarlet gilia: an alternative selection pressure to herbivory? 229
Passera L → Sartori M
Pate JS → Karlsson PS
Pearcy RW → Tinoco-Ojanguren C
Perring TM → Blua MJ
Poiani A: Ectoparasitism as a possible cost of social life: a comparative analysis using Australian passerines (Passeriformes) 429
Price PW → Craig TP

Raven JA → Johnston AM
Reeves JH → Wright DH
Retuerto R, Woodward FI: Effects of windspeed on the growth and biomass allocation of white mustard *Sinapis alba* L. 113
Rich PM → Lerdau MT
Ross M → Ish-Shalom N
Rowell-Rahier M → Speiser B

Sala Serra A → Oberbauer SF
Sartori M, Keller L, Thomas AGB, Passera L: Flight energetics in relation to sexual differences in the mating behaviour of a mayfly, *Siphlonurus aestivalis* 172
Schall JJ: Parasite-mediated competition in *Anolis* lizards 58
Schmid-Araya JM: The biochemical composition and calorific content of a rotifer and its algal food: comparison of a two stage chemostat and batch culture 327
Schroeter B, Green TGA, Seppelt RD, Kappen L: Monitoring photosynthetic activity of crustose lichens using a PAM-2000 fluorescence system 457
Schulze E-D → Fichtner K
Schwarzkopf T → Ataroff M
Seppelt RD → Schroeter B
Shine R → Madsen T
Shore RF, Yalden DW, Balment RJ, Sparks TH: The effect of variation in calcium intake on the growth of wood mice and bank voles 130
Shumway SW, Bertness MD: Salt stress limitation of seedling recruitment in a salt marsh plant community 490
Silveira Lobo Sternberg L da → Ish-Shalom N
Smith VR, Steenkamp M: Soil macrofauna and nitrogen on a sub-Antarctic island 201
Sonesson M, Gehrke C, Tjus M: CO_2 environment, microclimate and photosynthetic characteristics of the moss *Hylocomium splendens* in a subarctic habitat 23
Sparks TH → Shore RF
Speiser B, Harmatha J, Rowell-Rahier M: Effects of pyrrolizidine alkaloids and sesquiterpenes on snail feeding 257
Sprules WG → MacIsaac HJ
Stamp NE: Relative susceptibility to predation of two species of caterpillar on plantain 124
Stamp NE, Bowers MD: Foraging behavior of specialist and generalist caterpillars on plantain (*Plantago lanceolata*) altered by predatory stinkbugs 596
Stamps JA, Andrews RM: Estimating asymptotic size using the largest individuals per sample 503
Steenkamp M → Smith VR
Stibor H: Predator induced life-history shifts in a freshwater cladoceran 162
Stiller TM → Fewell JH

Teng Y → Colombo SJ
Tenhunen JD → Oberbauer SF
Thomas AGB → Sartori M
Thomas CD, Thomas JA, Warren MS: Distributions of occupied and vacant butterfly habitats in fragmented landscapes 563
Thomas JA → Thomas CD
Thompson K → Warr SJ
Tinoco-Ojanguren C, Pearcy RW: Dynamic stomatal behavior and its role in carbon gain during lightflecks of a gap phase and an understory *Piper* species acclimated to high and low light 222
Titus JE: Submersed macrophyte growth at low pH. II. $CO_2 \times$ sediment interactions 391
Tjus M → Sonesson M

Valverde PL → Ezcurra E
Valverde T → Martínez ML
Vanni MJ, Lampert W: Food quality effects on life history traits and fitness in the generalist herbivore *Daphnia* 48
Vogelmann TC → Day TA

Wacquant JP, Baus Picard J: Nutritional differentiation among populations of the mediterranean shrub *Dittrichia viscosa* (Asteraceae) in siliceous and calcareous habitats 14
Warr SJ, Thompson K, Kent M: Antifun-

gal activity in seed coat extracts of woodland plants 296
Warren MS → Thomas CD
Whitbeck JL → Lerdau MT
Whitham TG → Kearsley MJC
Whitlow TH → Meyer GA
Willson MF → Ågren J
Wilson BS: Tail injuries increase the risk of mortality in free-living lizards (*Uta stansburiana*) 145
Winter K, Ziegler H: Induction of crassulacean acid metabolism in *Mesembryanthemum crystallinum* increases reproductive success under conditions of drought and salinity stress 475
Woodward FI → Retuerto R
Wright DH, Reeves JH: On the meaning and measurement of nestedness of species assemblages 416
Yalden DW → Shore RF

Ziegler H → Winter K

Indexed in *Current Contents*

Index of key words

Activity 373
Activity density 373
Adenostyles 257
Agave 90
Aggression 242
Air vapour pressure deficit 104
Alatae formation 65
Algal life history 450
Allocation 313, 578
Alternative prey 301
Ammonium uptake 207
Annual plants 236
Annual weeds 442
Anolis 58, 503
Antarctica 457
Anthophora 552
Anthraquinones 71
Ants 542
Aphid 480
Aphis gossypii 65
Arctic tundra 568
Arianta 257
Asymmetric competition 498
Asymptotic size 503
Australian birds 429

Bank vole 130
Batch culture 327
Bees 552
Bicarbonate 317
Biochemical composition 327
Biogeography 563
Biological invasion 30
Biomass allocation 113
Biomass partitioning 236
Bistorta bistortoides 578
Blue light 188
Body weight 130
Bryophytes 273
Bud development 410
Buellia frigida 457

Cactus 90
Calcicoly/calcifugy 14
Calcium 130
CAM-cycling 532
Canopy architecture 83
Canopy gaps 586
Carabidae 373
Carbohydrates 172
Carbon gain 222
Carbon isotope ratios 532
Caribbean 58
Carnivorous plants 8
Cation balance in plant 14
Caudal autotomy 145
Cell elasticity 410
Chamaedorea bartlingiana 250
Chaoborus 383
Chemical defense 1, 556
Chemostat 327
Chrysomelidae 71, 556
Clearance rate 30
Clonally derived offspring 229
Coccinellidae 399
Coleoptera 556
Colonization 563
Colonizing species 279
Community structure 215, 242
Compensatory growth 313, 520
Competition 58, 242
Conductance 463
Conifer 513
Cooperative breeding 429
Cost of reproduction 266
CO_2 enrichment 391
CO_2 environment 23
Crab spider 287
Crassulacean acid metabolism 166, 475, 532
Crucifer 1
Crucifers 399
Cucurbita pepo 65
Cursorial spiders 215
$\delta^{13}C$ value 475
C_3 and C_4 grasses 97

Daphnia 48, 162
Daphnia pulex 383
Decaying-herbage breeding 183
Defoliation 480
Depth of thaw 568
Desert rodents 242
Deserts 83
Diffusion 317
Dioecy 250
Dispersal 305, 339
Distantly related taxa 498
Distribution 416
Disturbance 520
Dreissena 30
Drift feeders 498
Drosera 8
Drosophila 183
Dunes 343
Dynamic response 222

Ecological genetics 279
Ecological impact 30
Ecological scales 242
Ecology of sex 305
Ecophysiology 343
Ecosystem carbon exchange 568
Ectoparasites 429
Eggs 71
Encentrum linnhei 327
Epidermis 513
Establishment 520
Euura lasiolepis 153
Extinction 416, 563
Extirpation 301

Fecundity 40, 287, 450
Feeding condition 339
Feeding deterrency 257
Feeding deterrent 1
Fertilizing 8
Fiber-optic 513
Fire 229
Fitness 48
Flight energetics 172
Floral allocation 266
Floral display 266
Fluorescence yield 457
Foliar nitrogen 463
Foliole movement 83
Food quality 48
Foraging 498, 542
Foraging behavior 399
Foraging behaviour 354
Foraging movement 76
Foraging patterns 596
Freshwater 1
Furanoeremophilane sesquiterpenes 257

Gas exchange 188, 532
Genetic differentiation 442
Geranium maculatum 177
Germination 196, 273, 343
Graphical analysis 548
Grazing 313
Groundwater 108
Growth 8, 40, 130, 287, 313, 391, 503, 578
Growth analysis 113
Guard cell 188
Gynodioecy 266, 279

Habitat management 373
Halophytes 490
Herbivory 196, 229, 405, 480, 520, 556
Hesperiidae 97
Heterocarpy 305
Host choice 76, 183
Host plant preference 362
Hylocomium splendens 23

Immigration 416
Incidence 416
Incidence function 563
Inducible defence 383
Injuries 145
Inorganic carbon 317
Insects diversity 405
Interference competition 498
Intraspecific variation 405
Ipomopsis aggregata 229

Junonia coenia 124, 596

K/Ca interactions 14

LAI 463
Lake Erie 30
Landscape topography 520
Largest individual 503
Larrea tridentata 83
Larvae 71
Larval competition 362
Lasallia pustulata 305
Leaf trichomes 405
Lepidoptera 97
Life history 48
Life-history strategy 162
Light 317
Light acclimation 222, 586
Light availability 166
Light-flecks 222
Lipids 172
Lizard 503
Lizard tails 145
Lizards 58
Low pH 391
Lycopersicum esculentum Mill. 104

Malaria 58
Mating behaviour 172
Maximization 450
Mesembryanthemum 475
Metapopulation 563
Mexico 83, 343
Microbial ecology 362
Microclimate 23
Mineral allocation 138
Morphological adaptation 354
Moss 23
Movements 373

Natural selection 40
Nearest neighbours 548
Nectar renewal 552
Nectar standing crop 552
Neotropic 343
Neotropics 207
Nestedness 416
Net photosynthesis 457
Nitrate reductase 207
Nitrate uptake 207
Nitrogen 578
Nitrogen mineralization 201
Nitrogen nutrition 236
Notonecta 383
Nutrient cycling 201
Nutrients 97
Nutritional ecotypes 14

Olfactometer 362
Oocystis 48
Optical properties 513
Opuntia excelsa 166
Osmotic potential 410
Overcompensation 229
Owls 301
Ozone depletion 513

Paraponera clavata 542
Parasite 58
Parasitism 76
Paratrytone melane 97
Passeriformes 429
Peat 201
Permafrost 568
Phenotypic plasticity 162, 383, 586
Photosynthesis 23
Photosynthetic capacity 586
Phytochrome 188
Phytomyza 76
Piper 207, 586
Plant architecture 399
Plant quality hypothesis 153
Plantago lanceolata 124
Plant-insect interactions 196
Podisus maculiventris 124, 596
Polistes fuscatus 124
Pollinator limitation 177
Polygonum aviculare 442
Polymorphic arctic charr 354
Polyploidy 442
Population cycles 301
Population parameters 339
Predation 301
Predation efficiency 399
Predator assemblages 215
Predator avoidance 145
Predator induction 162
Predator-prey interaction 596
Pyrrharctia isabella 596
Pyrrolizidine alkaloids 257

Reaction norms 442
Recruitment 542
Red/far-red ratio 188
Relative growth rate 236
Relative growth rates 113
Reproduction 40, 138, 475
Reproductive phenology 250
Reproductive success 273
Resource allocation 162
Resource concentration 76
Resource exploitation 183
Resource limitation 177
Resource storage 166
Rhodophytes 317
Root morphology 90

Salinity 108
Salt marsh ecology 490
Sawfly 153
Secondary succession 490
Sediment 391
Seed bank 490
Seed predation 196
Seed production 177, 266
Seedling recruitment 490
Seedlings 250
Sequestration 556
Sex differences 172
Sex ratio 153, 273, 279
Sinapis alba L. 113
Size 287, 450
Snake 40
Soil fauna 201
Soil respiration 568
Soil water deficit 104
Solidago 480
Sonoran Desert 90
Sorghum bicolor 138
Sorghum halepense 138
Spatial competition 548
Species diversity 215
Sphaerocarpos texanus 273
Spider 339
Spilosoma congrua 124
Spittlebug 480
Stable isotope ratio 108
Stomatal conductance 104, 222
Storage 578
Streams 1
Sub-antarctic 201
Submersed macrophyte 391
Succession 215
Supplementary feeding 8
Survival 145
Survival rate 339
Systematic foraging 552

Tangled bank 305
Temporal variability 177
Trade-off 450
Trifolium hirtum 279
Triterpenes 71
Trophic specialization 354
Tropical deciduous forest 166
Tropical hardwood hammock 108
Turgor 410

Vegetative phenology 250
Virus/vector interactions 65

Water balance 463
Water content 457
Water potential 90
Water relations 108
Water stress 475
Water-use efficiency 532
Wigandia urens 405
Willow 153
Wind effects 113
Wood mouse 130

Zucchini yellow mosaic virus 65